Jan 02, 1991 12:28 | JOSEPH D. ANTONY | Chg_Scr

Interrupt | Escape | Rec_Def | Save_Res | NDC-Management | DocID-Maintenance | C/sc_list

Move | Class/subclass Retrieval Parameter Menu | Close

Add up to 20 new Class/subclass identifiers to be added to this NDC
(1) 252/2
(2) 252/3
(3) 252/8
(4)
(5)
(6)
(7)
(8)
(9)
(10)

Named Document Collection: 436464 *** New NDC ***

Limit to date range? (Y / N): N

Retrieval by country? (Y / N): N

Pick a reference type: A
(O) Original only
(C) Cross only
(A) All

Pick a display order
Pick an overall order: M
(S) Separate subclasses
(M) Merge subs together

Pick a date order: N
(N) Newest-to-oldest
(O) Oldest-to-newest

Pick a duplicates option: D
(D) Do not show duplicates
(S) Show duplicates

List patent sections to display in desired order: F, s2
(F) Front page
(D) Drawings
(S) Specification
(S1) First page of Specification (US only)
(S2) First two pages of Specification (US only)
(C) Claims
(CC) Certificates of correction (US only)
(R) Reexamination certificates (US only)
(AM) Amendments (Foreign only)
(A) All sections in standard order

Pick a viewing option: U
(U) View unreviewed
(S) View skipped
(T) View tagged
(A) View all
(N) View none

Retrieve Documents from Training File? (Y / N): N

Execute? (Y / N):

02 JAN 91 12:16:38 U.S. Patent & Trademark Office P0005
=> d his
(FILE USPAT)

SET PAGELENGTH 62
SET LINELENGTH 78

L1	398	S HEXAFLUOROPROPANE#
L2	503	S TETRAFLUOROETHANE#
L3	15051	S HALOGENATED HYDROCARBON#
L4	1263	S FIRE EXTINGUISHING
L5	1132	S DIFLUOROMETHANE OR CHLORODIFLUOROMETHANE OR P
L6	9538	S PROPELLANT
L7	162121	S NITROGEN
L8	19	S L1 AND L2
L9	0	S L1 AND L2 AND L4
L10	0	S L1 AND L4
L11	11	S L2 AND L4
L12	3	S L2 AND L4 AND L5
L13	4	S L11 AND L6
L14	58	S L3 AND L4
L15	9	S L14 AND L6

=> d l8 cit 1-19

1. 4,973,653, Nov. 27, 1990, Linear polyether resins; Sameer H. Eldin, 528/219, 125, 167, 169, 174, 205 [IMAGE AVAILABLE]

2. 4,972,003, Nov. 20, 1990, Foaming system for rigid urethane and isocyanurate foams; Henri J. M. Grunbauer, et al., 521/131; 252/182.15, 182.24 [IMAGE AVAILABLE]

3. 4,945,119, Jul. 31, 1990, Foaming system for rigid urethane and isocyanurate foams; Guide F. Smits, et al., 521/131; 252/182.15, 182.24 [IMAGE AVAILABLE]

4. 4,937,398, Jun. 26, 1990, Process for the preparation of fluorinated alkanes from alkenes; Hsueh S. Tung, et al., 570/175, 134, 172 [IMAGE AVAILABLE]

5. 4,851,494, Jul. 25, 1989, Crosslinkable polyether-amide; Sameer H. Eldin, et al., 528/170; 428/474.4; 528/125, 173, 321, 322

6. 4,764,568, Aug. 16, 1988, Crosslinkable polyether resins having aralkoxy; Sameer H. Eldin, 525/417, 471, 534; 528/126

7. 4,754,001, Jun. 28, 1988, Thermosetting cyanate resin and the use thereof for the production of composite materials and IPNs; Johannes Blahak, et al., 525/437, 167, 177, 425, 439, 440, 444, 448, 903

8. 4,667,010, May 19, 1987, Crosslinkable linear polyether resin; Sameer H. Eldin, 528/125; 522/162; 525/471, 534, 535; 528/126, 174, 205, 219

9. 4,631,319, Dec. 23, 1986, Thermosetting cyanate resin and the use thereof for the production of composite materials and IPNs; Johannes Blahak, et al., 525/437, 32.1, 445, 447; 528/288

10. 4,578,225, Mar. 25, 1986, Multi-(OTeF.sub.5)-substituted fluorocarbons; Carl J. Schack, et al., 562/899; 252/48.8

11. 4,454,052, Jun. 12, 1984, Liquid absorbent for absorption type refrigerator; Mitsuyoshi Shoji, et al., 252/68, 67
12:17:28 COPY AND CLEAR PAGE, PLEASE

INPUT:

12. 4,451,646, May 29, 1984, High molecular weight polymeric perfluorinated copolyethers and process for their preparation from tetrafluoroethylene; Dario Sianesi, et al., 528/401; 252/54; 528/397

13. 4,440,955, Apr. 3, 1984, Process for the preparation of 2,2-dimethyl-3-vinyl-cyclopropanecarboxylic acids and esters; Manfred Jautelat, et al., 568/419

14. 4,423,243, Dec. 27, 1983, Process for the preparation of 2,2-dimethyl-3-vinyl-cyclopropanecarboxylic acids and esters; Manfred Jautelat, et al., 560/124; 548/479, 514; 549/79, 478, 498; 558/407; 560/101; 562/506; 568/393, 419

15. 4,085,518, Apr. 25, 1978, Drying of water-wet solid materials; Harold L. Jackson, et al., 34/37, 77, 104

16. 4,085,175, Apr. 18, 1978, Process for producing a balanced nonwoven fibrous network by radial extrusion and fibrillation; Herbert W. Keuchel, 264/51, 210.7, 235, 290.2, DIG.5, DIG.8; 425/382R, DIG.53; 428/224, 397, 910

17. 3,874,965, Apr. 1, 1975, FIBRILLATED YARN CARPET BACKING; Emmett T. Greenwald, et al., 264/103; 28/143; 156/148, 167, 181, 229, 244.24; 264/51, 53, DIG.8; 428/95

18. 3,725,317, Apr. 3, 1973, NUCLEATION OF THERMOPLASTIC POLYMERIC FOAMS; Clifford P. Ronden, et al., 521/79, 92, 94, 146

19. 3,641,760, Feb. 15, 1972, FOAM FIBRILLATED YARN AND PROCESS; Herbert W. Keuchel, 57/31; 28/271, 281; 57/350, 907; 264/51, 103, 147, 172, DIG.8, DIG.16, DIG.47

=> d l11 cit 1-11

1. 4,959,397, Sep. 25, 1990, Soft and low-density foam materials from modified copolymers of ethylene with vinyl acetate and/or alkyl esters of acrylic or methacrylic acid; Corrado Brichta, et al., 521/96, 98, 149 [IMAGE AVAILABLE]

2. 4,954,271, Sep. 4, 1990, Non-toxic fire extinguishant; Raymond W. Green, 252/8; 169/46, 47; 252/2 [IMAGE AVAILABLE]

3. 4,946,871, Aug. 7, 1990, Soft and low-density foam materials from modified copolymers of ethylene with vinyl acetate and/or alkyl acid; Corrado Brichta, et al., 521/149, 96, 98 [IMAGE AVAILABLE]

4. 4,830,762, May 16, 1989, Method for fire extinguishment of liquid chlorosilane compound; Hisayoshi Yamaguchi, et al., 252/2; 169/46, 47; 252/8 [IMAGE AVAILABLE]

5. 4,830,114, May 16, 1989, Self-activating fire extinguisher; Jerry P. Jessick, et al., 169/26

6. 4,709,763, Dec. 1, 1987, Self-activating fire extinguisher; James Jessick, 169/26

7. 4,459,213, Jul. 10, 1984, Fire-extinguisher composition; Yasuzo Uchida, et al., 252/8.05, 2 [IMAGE AVAILABLE]

8. 3,879,297, Apr. 22, 1975, Liquid fire extinguishing composition; 12:19:19 COPY AND CLEAR PAGE, PLEASE

INPUT:

02 JAN 91 12:20:01 U.S. Patent & Trademark Office P0007

Philippe Languille, et al., 252/8 [IMAGE AVAILABLE]

9. 3,684,018, Aug. 15, 1972, FOAM-FORMING FLAME-EXTINGUISHING COMPOSITIONS CONTAINING ALKYLPOLYALKOXYSULFATES, POLYOXYETHYLENE RESIN AND SYMMETRICAL DIBROMOTETRAFLUOROETHANE; Nicolino Rainaldi, et al., 169/43, 47; 252/3, 8, 8.05, 307 [IMAGE AVAILABLE]

10. 3,658,685, Apr. 25, 1972, COMBINATION ELECTRODE; William V. Childs, et al., 204/284, 294

11. 3,609,074, Sep. 28, 1971, FLAME-EXTINGUISHING COMPOSITIONS COMPRISING 1,2-DIBROMO-TETRAFLUOROETHANE; Nicolino Rainaldi, et al., 252/3, 8, 8.05, 307 [IMAGE AVAILABLE]

=> d l12 cit 1-3

1. 4,954,271, Sep. 4, 1990, Non-toxic fire extinguishant; Raymond W. Green, 252/8; 169/46, 47; 252/2 [IMAGE AVAILABLE]

2. 4,459,213, Jul. 10, 1984, Fire-extinguisher composition; Yasuzo Uchida, et al., 252/8.05, 2 [IMAGE AVAILABLE]

3. 3,879,297, Apr. 22, 1975, Liquid fire extinguishing composition; Philippe Languille, et al., 252/8 [IMAGE AVAILABLE]

=> d l13 cit 1-4

1. 4,959,397, Sep. 25, 1990, Soft and low-density foam materials from modified copolymers of ethylene with vinyl acetate and/or alkyl esters of acrylic or methacrylic acid; Corrado Brichta, et al., 521/96, 98, 149 [IMAGE AVAILABLE]

2. 4,946,871, Aug. 7, 1990, Soft and low-density foam materials from modified copolymers of ethylene with vinyl acetate and/or alkyl acid; Corrado Brichta, et al., 521/149, 96, 98 [IMAGE AVAILABLE]

3. 3,684,018, Aug. 15, 1972, FOAM-FORMING FLAME-EXTINGUISHING COMPOSITIONS CONTAINING ALKYLPOLYALKOXYSULFATES, POLYOXYETHYLENE RESIN AND SYMMETRICAL DIBROMOTETRAFLUOROETHANE; Nicolino Rainaldi, et al., 169/43, 47; 252/3, 8, 8.05, 307 [IMAGE AVAILABLE]

4. 3,609,074, Sep. 28, 1971, FLAME-EXTINGUISHING COMPOSITIONS COMPRISING 1,2-DIBROMO-TETRAFLUOROETHANE; Nicolino Rainaldi, et al., 252/3, 8, 8.05, 307 [IMAGE AVAILABLE]

=> d l14 cit 1-58

1. 4,938,293, Jul. 3, 1990, Linear fire extinguisher; Donald E. Warren, et al., 169/28, 58, 61, 62 [IMAGE AVAILABLE]

2. 4,909,328, Mar. 20, 1990, Fire extinguisher composition and apparatus; Keric DeChant, et al., 169/30, 35; 239/327

3. 4,893,680, Jan. 16, 1990, Fire suppression activator; Donald R. Wittbrodt, et al., 169/60, 19, 56, 61, 62, DIG.3

4. 4,879,050, Nov. 7, 1989, Method for fire extinguishment of chlorosilanes; Hisayoshi Yamaguchi, et al., 252/2; 169/46, 47; 252/7, 8 [IMAGE AVAILABLE]

5. 4,869,878, Sep. 26, 1989, Device for creation of an oxygen-free working 12:22:46 COPY AND CLEAR PAGE, PLEASE

INPUT:

atmosphere; Alban Putz, 422/111, 113, 119, 129, 202, 242; 427/422

6. 4,854,389, Aug. 8, 1989, Linear fire extinguisher; Donald E. Warren, et al., 169/28, 58, 61, 62

7. 4,830,762, May 16, 1989, Method for fire extinguishment of liquid chlorosilane compound; Hisayoshi Yamaguchi, et al., 252/2; 169/46, 47; 252/8 [IMAGE AVAILABLE]

8. 4,815,541, Mar. 28, 1989, Fire extinguisher; Richard C. Arrington, 169/74, 75, 88, 89; 222/402.11, 402.13

9. 4,800,220, Jan. 24, 1989, Crosslinked carboxylic copolymers usable as thickeners in aqueous media and preparation thereof; Alain Ribba, 526/238.23, 271, 318.42, 932

10. 4,751,027, Jun. 14, 1988, Process for the preparation of perfluorocarboxylic acids; Konrad von Werner, et al., 260/408; 562/541, 605

11. 4,715,986, Dec. 29, 1987, Particles, modified at their surface by hydrophilic and hydrophobic groups; Burghard Gruning, et al., 252/315.2; 106/489, 491; 252/302, 363.5; 428/403, 407 [IMAGE AVAILABLE]

12. 4,711,820, Dec. 8, 1987, Method of siliconization of surfaces with lower alkyl silanes; Barry C. Arkles, et al., 428/429; 65/60.3; 428/447; 623/1, 66

13. 4,711,307, Dec. 8, 1987, Compact self-contained fire extinguisher; Harold Rosen, 169/57, 26, 54

14. 4,652,383, Mar. 24, 1987, Vinyl polymer gelling agent for powder dissemination composition; William B. Tarpley, Jr., et al., 252/8, 2, 3, 7 [IMAGE AVAILABLE]

15. H 141, Oct. 7, 1986, Fast dispensing fire extinguisher; Anthony E. Finnerty, et al., 169/28

16. 4,580,638, Apr. 8, 1986, Fire suppression and control system; Wendell M. Jones, et al., 169/49, 59, 60, 65, DIG.3

17. 4,555,417, Nov. 26, 1985, Method for coating a substrate with a foamed proteinaceous product; Paul W. Gibson, et al., 427/361, 364, 365, 373, 395

18. 4,520,871, Jun. 4, 1985, Fire extinguishing system; Walter G. Miller, et al., 169/43, 9 [IMAGE AVAILABLE]

19. 4,484,710, Nov. 27, 1984, Fire suppressant nozzle; Edward J. Roznieckl, 239/290, 428.5, DIG.7

20. 4,476,159, Oct. 9, 1984, High temperature adhesive silicone foam composition, foam generating system and method of generating foam; Judith W. Mead, et al., 427/136; 521/78, 79, 131, 154, 910

21. 4,459,213, Jul. 10, 1984, Fire-extinguisher composition; Yasuzo Uchida, et al., 252/8.05, 2 [IMAGE AVAILABLE]

22. 4,435,481, Mar. 6, 1984, Pyrophoric foil and article, and pyrophoric technique; Alfonso L. Baldi, 428/550; 102/336; 149/15; 342/12; 427/252; 428/457, 553, 606, 607, 613, 624, 649, 660; 431/99; 502/301, 338, 527 [IMAGE AVAILABLE]

12:23:02 COPY AND CLEAR PAGE, PLEASE

INPUT:

02 JAN 91 12:23:11 U.S. Patent & Trademark Office P0009

23. 4,402,364, Sep. 6, 1983, Fire extinguishing method; Max Klein, 169/47; 252/2, 3, 8.05 [IMAGE AVAILABLE]

24. 4,390,450, Jun. 28, 1983, Proteinaceous foaming compositions and method for preparing foamed proteinaceous products; Paul W. Gibson, et al., 252/307, 363.5; 426/568, 571, 572; 427/373 [IMAGE AVAILABLE]

25. 4,390,069, Jun. 28, 1983, Trifluorobromomethane foam fire fighting system; George R. Rose, Jr., 169/15; 239/428.5; 252/3 [IMAGE AVAILABLE]

26. 4,359,371, Nov. 16, 1982, Process for preparing bromine- and fluorine-containing halogenated hydrocarbons; Horst Bohm, et al., 204/158.11; 570/134, 137 [IMAGE AVAILABLE]

27. 4,351,870, Sep. 28, 1982, Maximized strength-to-weight ratio panel material; Edgar English, Jr., 428/174; 52/232, 309.16, 309.6, 309.7; 428/117, 182, 186, 304.4, 314.4, 318.4, 921

28. 4,344,751, Aug. 17, 1982, Flares; David A. Chesters, 431/202, 33

29. 4,322,221, Mar. 30, 1982, Process for the superatmospheric gasification of solid carbonaceous materials; John F. Kamody, 48/197R; 44/280; 48/DIG.2, DIG.7; 55/68, 73; 252/309; 406/197; 423/416 [IMAGE AVAILABLE]

30. 4,289,039, Sep. 15, 1981, Release mechanism for a valve of a fire extinguishing installation; Josef Trunner, et al., 74/2; 222/402.14; 251/66, 68

31. 4,278,552, Jul. 14, 1981, Fluorine-containing betaine compounds, and production and use thereof; Iwao Hisamoto, et al., 252/3; 169/47; 252/8.05, 356, 546, DIG.7; 562/567 [IMAGE AVAILABLE]

32. 4,226,727, Oct. 7, 1980, Persistent fire suppressant composition; William B. Tarpley, Jr., et al., 252/8; 169/47; 252/2, 3, 7 [IMAGE AVAILABLE]

33. 4,222,967, Sep. 16, 1980, Process for preparing bromine- and fluorine-containing halogenated hydrocarbons; Horst Boehm, et al., 570/170, 174

34. 4,209,456, Jun. 24, 1980, Fluorine-containing alkyl-sulfato-betaines and processes for their manufacture; Siegfried Billenstein, et al., 558/27

35. 4,173,538, Nov. 6, 1979, Extinguishing product comprising an uninflammable powder and liquid; Celestin L. Herbline, 252/8, 2, 3, 8.05 [IMAGE AVAILABLE]

36. 4,069,872, Jan. 24, 1978, Method of and device for extinguishing burning gases; Harry Lassen, 169/47, 66; 252/2, 3 [IMAGE AVAILABLE]

37. 4,064,359, Dec. 20, 1977, Fire retardant product for use with electrical cables and the like; Roger L. Peterson, et al., 174/107, 68.3, 121A; 428/215, 228, 268, 297, 337, 433, 920, 921 [IMAGE AVAILABLE]

38. 4,063,958, Dec. 20, 1977, Hydrophobic compositions; Michael Roth, et al., 106/471; 427/220

39. 4,005,754, Feb. 1, 1977, Process for the automatic reporting and extinguishing of fires; Gerhard Linden, et al., 169/46, 23, 61; 340/517, 578, 628 [IMAGE AVAILABLE]

12:23:19 COPY AND CLEAR PAGE, PLEASE

INPUT:

02 JAN 91 12:23:24 U.S. Patent & Trademark Office P0010

40. 3,937,756, Feb. 10, 1976, Fire retardant polyester resins; Howard Paul Klein, et al., 525/40; 260/DIG.24; 525/11, 38, 39; 528/299, 301, 303

41. 3,928,210, Dec. 23, 1975, Fire protective composition for use with electrical cables; Roger L. Peterson, 524/563; 106/18.18; 174/121A; 428/290, 302, 382, 383, 921; 524/144, 288, 405, 411, 926 [IMAGE AVAILABLE]

42. 3,923,914, Dec. 2, 1975, Chemical process; Paul Kobetz, et al., 570/260

43. 3,912,015, Oct. 14, 1975, System for the safe handling of pulverized coal; Allen K. Garbee, et al., 169/61, 26; 241/31

44. 3,879,297, Apr. 22, 1975, Liquid fire extinguishing composition; Philippe Languille, et al., 252/8 [IMAGE AVAILABLE]

45. 3,827,502, Aug. 6, 1974, FIRE-EXTINGUISHING APPARATUS; Frank R. Lockwood, 169/51, 26, 35, 62

46. 3,826,313, Jul. 30, 1974, METHOD OF FIRE PROTECTION USING RECIRCULATION OF COMBUSTION PRODUCTS TO DISCHARGE A FOAM EXTINGUISHANT; Cheng Yao, 169/44, 12, 42 [IMAGE AVAILABLE]

47. 3,785,569, Jan. 15, 1974, AEROSOL GRENADE; Ralph Helmrich, 239/337; 102/368; 169/36; 239/251 [IMAGE AVAILABLE]

48. 3,780,811, Dec. 25, 1973, METHOD OF FIRE PROTECTION USING RECIRCULATION OF COMBUSTION PRODUCTS; Cheng Yao, 169/46, 12, 91 [IMAGE AVAILABLE]

49. 3,768,232, Oct. 30, 1973, SOLVENT RECOVERY SYSTEM; Milton Farber, et al., 55/58, 208

50. 3,758,543, Sep. 11, 1973, NOVEL SULFATES AND METHOD FOR THEIR PREPARATION; Louis G. Anello, et al., 558/23; 106/2; 162/135; 252/8.6, 351; 560/223; 568/669, 683, 684 [IMAGE AVAILABLE]

51. 3,708,015, Jan. 2, 1973, A SYSTEM FOR FIRE PROTECTION USING RECIRCULATION OF COMBUSTION PRODUCTS; Cheng Yao, 169/12, 41, 42

52. 3,692,118, Sep. 19, 1972, FIXED FIRE EXTINGUISHING SYSTEM UTILIZING RECIRCULATION OF COMBUSTION PRODUCTS; Cheng Yao, 169/47, 12, 61, 91 [IMAGE AVAILABLE]

53. 3,681,413, Aug. 1, 1972, QUATERNARY AMMONIUM COMPOUNDS; Richard F. Sweeney, et al., 260/404.5; 106/2; 252/2, 7, 8.57, 8.75, 8.8, DIG.7; 260/400, 408; 558/28; 562/564; 564/159, 201 [IMAGE AVAILABLE]

54. 3,657,120, Apr. 18, 1972, METHOD OF STABILIZING BROMINE-CONTAINING FIRE EXTINGUISHING HALOGENATED HYDROCARBON COMPOSITION; Peter Porst, 252/8, 68, 393, 396 [IMAGE AVAILABLE]

55. 3,656,553, Apr. 18, 1972, FLAME-EXTINGUISHING SUBSTANCE COMPRISING 1,2-DIBROMOHEXAFLUROPROPANE; Nicholino Rainaldi, et al., 169/47; 252/3, 8, 605 [IMAGE AVAILABLE]

56. 3,637,022, Jan. 25, 1972, USE OF HIGH WATER CONTENT OIL-EXTERNAL MICELLAR SOLUTIONS FOR EXTINGUISHING FIRES; Joe T. Kelly, deceased, et al., 169/44, 66, 69; 252/2, 8.05, 309 [IMAGE AVAILABLE]

57. 3,602,312, Aug. 31, 1971, PROCESS FOR QUENCHING FLAMES AND EXTINGUISHING FIRES AND DEVICES THEREFOR; Nicolino Rainaldi, et al., 169/47, 74 [IMAGE

12:23:28 COPY AND CLEAR PAGE, PLEASE

INPUT:

02 JAN 91 12:23:42 U.S. Patent & Trademark Office P0011
AVAILABLE]

58. 3,581,826, Jun. 1, 1971, PROCESS FOR EXTINGUISHING FIRES BY DISPENSING POLYMER FOAM FORMING MIXTURES; Thomas P. Dougan, et al., 169/15, 44; 252/3, 8; 521/156, 157, 163, 902 [IMAGE AVAILABLE]

=>

INPUT:

Jan 02, 1991 13:53 | JOSEPH D. ANTHONY | Chg_Scr

Interrupt | Escape | Prt_Def_Mai... | Prt_Queue_Mgmt

Move | Document Print Menu | Clo

Model NDC Name: 436464

Pick 'T' to view tagged documents or 'A' to view all documents in NDC: t

Number	Document		Number	Document		Number	Document	
(1)	1,103,092	US	(2)	2,043,258	US	(3)	3,080,430	US
(4)	3,476,819	US	(5)	3,479,286	US	(6)	3,609,074	US
(7)	3,656,553	US	(8)	3,715,438	US	(9)	3,733,273	US
(10)	4,020,903	US	(11)	4,226,728	US	(12)	4,563,287	US
(13)	4,606,832	US	(14)	4,668,407	US	(15)	4,826,610	US
(16)	4,830,762	US	(17)	4,954,271	US	(18)		
(19)			(20)			(21)		
(22)			(23)			(24)		
(25)			(26)			(27)		
(28)			(29)			(30)		

Please list documents to be printed by number or enter 'A' for all: a

List patent sections to print: A

- (F) Front page
- (D) Drawings
- (S) Specification
- (S1) First page of Specification
- (S2) First two pages of Specification
- (C) Claims
- (CC) Certificates of correction
- (R) Reexamination certificates
- (A) All sections in standard order

Please pick a print option: G

- (G) Group Printer (Print at group printer in cluster: DIST)
- (L) Local Printer (Print at local printer)

Execute? (Y / N):

02 JAN 91 12:23:42 U.S. Patent & Trademark Office P0011

AVAILABLE]

58. 3,581,826, Jun. 1, 1971, PROCESS FOR EXTINGUISHING FIRES BY DISPENSING POLYMER FOAM FORMING MIXTURES; Thomas P. Dougan, et al., 169/15, 44; 252/3, 8; 521/156, 157, 163, 902 [IMAGE AVAILABLE]

```
=> e fernandez, richard
E1            2     FERNANDEX/BI
E2          124     FERNANDEZ/BI
E3            0 --> FERNANDEZ, RICHARD/BI
E4           95     FERNANDO/BI
E5            1     FERNANDOPULLE/BI
E6            1     FERNANDS/BI
E7            2     FERNAROLI/BI
E8           95     FERNBACH/BI
E9            1     FERNBACHS/BI
E10          14     FERNBACK/BI
E11           3     FERNBAUGH/BI
E12           2     FERNBEDIENEN/BI

=> s e2
L16         124 FERNANDEZ/BI

=> s l16 and fire extinguishing
          48590 FIRE
           8195 EXTINGUISHING
           1263 FIRE EXTINGUISHING
                  (FIRE(W)EXTINGUISHING)
L17           0 L16 AND FIRE EXTINGUISHING

=> d l16 cit 1-7
```

1. 4,966,783, Oct. 30, 1990, Use of sclareolide in augmenting or enhancing the organoleptic properties of foodstuffs; Lawrence Buckholz, Jr., et al., 426/565, 536 [IMAGE AVAILABLE]

2. 4,965,518, Oct. 23, 1990, Modified viscometer for employment in torque magnetometry; Ashok K. Agarwala, 324/228, 226, 262 [IMAGE AVAILABLE]

3. 4,963,411, Oct. 16, 1990, Decorative ribbon garland and method of manufacturing same; William F. Protz, Jr., 428/123; 57/203; 112/417, 441; 223/46; 428/152 [IMAGE AVAILABLE]

4. 4,960,603, Oct. 2, 1990, Use of sclareolide in augmenting or enhancing the organoleptic properties of foodstuffs; Lawrence L. Buckholz, Jr., et al., 426/536, 643, 652 [IMAGE AVAILABLE]

5. 4,954,436, Sep. 4, 1990, Dihydropyridine-sensitive calcium channel as a tumor associated marker; Stanley C. Froehner, et al., / ; 424/1.1, 9; 435/28, 172.2, 240.27; 436/501, 503, 512, 548, 813; 530/350, 387; 935/106, 107, 110 [IMAGE AVAILABLE]

6. 4,939,176, Jul. 3, 1990, Viral inactivation process; Richard L. Seng, et al., 514/724; 424/86, 87, 88, 89; 530/363, 380, 381, 382, 383, 387 [IMAGE AVAILABLE]

7. 4,937,189, Jun. 26, 1990, Expression and secretion of heterologous proteins by Yarrowia lipolytica transformants; Lance S. Davidow, et al., 435/69.1, 69.8, 69.9, 91, 116, 172.1, 172.3, 254, 255, 256; 536/27; 935/28, 37, 56, 69 [IMAGE AVAILABLE]

12:27:01 COPY AND CLEAR PAGE, PLEASE

INPUT: